



# DECLARATION OF PERFORMANCE

DOP:LF001

Manufacturer's Declaration of Performance According to the Building Products Directive  
(Directive 305/2011/EEC 24 April 2011 for Building Products)

**1. Identification Code:**

Alfa Wood Pindos S.A.laminateflorring , all types and versions according to EN 15468 thickness range 7-9 mm

**2. Product brands:**

ALFAWOOD MASTERLAMINATE®

**3. Intendent use:**

Floor covering for indoor applications according to EN 15468

**4. Producer :**

AlfaWood Pindos S.A, Wood Industry, 7<sup>th</sup> klm Grevena - Mavranaloi, P.O .Box. 100, Zip Code.51100, Grevena – Greece

**5. Distributed by:**

AlfaWood Pindos S.A, Wood Industry, 7<sup>th</sup> klm Grevena - Mavranaloi, P.O. Box. 100, Zip Code.51100, Grevena – Greece

**6. System for verifying and evaluating the constancy of performance::**

System 3 according to EN 14041:2004

**7. In the case of the declaration of performance is related to building material that covers form harmonized norms:**

*Name of the notified body made the proper tests, made the production process control and the test calculations( if necessary)*

NB 1871, NB 1658

Notified Body

Certification of the steady production

**8. Stated performance**

Key Characteristics	Performance	Harmonised Technical Norm
Reaction to Fire	Cfl-s1	EN 14041:2004/AC:2006
Pentachlorophenol content	0 mg/kg	EN 14041:2004/AC:2006
Formaldehyde emission	E1	EN 14041:2004/AC:2006
Slip resistance	DS	EN 14041:2004/AC:2006
Reaction to Electricity (diffusion)	NPD	EN 14041:2004/AC:2006
Reaction to Electricity (conductivity)	NPD	EN 14041:2004/AC:2006
Reaction to Electricity (antistatic)	NPD	EN 14041:2004/AC:2006
Thermal conductivity (W/m <sup>2</sup> K)	0,13	EN 14041:2004/AC:2006
Penetration in water	NPD	EN 14041:2004/AC:2006

9. The performance of the product identified under point 1 and 2. meets the stated performance according to point 8. The declaration of performance is issued under the responsibility of the manufacturer as mentioned at point 4. It applies with no restrictions until it is revoked by the issuer.

Apostolos Koumpouras  
Plant Manager

Grevena 30-08-2017

Signature